

Technical Data Sheet

DOWSILTM DEFENDAIR 200

FEATURES & BENEFITS

- UV Resistant long term resistance
- Provides long-term air and water protection properties even when exposed to sunlight, rain, snow, or temperature extremes
- Excellent Weatherability temperature extremes of -15°F to 300°F
- Meets National Fire Protection Association (NFPA) Class A Fire Rating
- NFPA 285 Pass¹
- Ease of Installation one coat installation
- Air Tight exceeds industry requirements
- Primerless adhesion on most substrates
- Solventless
- Elastomeric accommodates building movement
- Seamless cured membrane is continuous and does not form seams or laps
- Nail sealability
- Low VOC
- Compatibility compatible with DOWSILTM sealants, DOWSILTM 123 Silicone Seal, DOWSILTM Transition Strips, and DOWSILTM Molded Corners

Silicone Liquid Applied Air and Weather Barrier

APPLICATIONS

 Permeable air barrier used for new construction and renovation applications on many substrates including concrete, OSB, exterior sheathing, preformed panels, plywood, wood or steel stud walls.

DESCRIPTION

DOWSILTM DEFENDAIR 200 is a 100% silicone liquid applied Air and Weather Barrier designed to protect against air infiltration and water penetration. The vapor permeable, one component, water-based coating cures to form a flexible membrane that is impervious to water but has the ability to "breathe," allowing water vapor to escape from inside the substrate.

The coating provides long-term protection from air and water infiltration; normal movement imposed by seasonal thermal contraction and expansion; ultraviolet radiation; and the elements. The coating maintains its water protection properties even when exposed to sunlight, rain, snow, or temperature extremes. There is not a limit on exposure time before being covered by the exterior cladding.

DOWSIL DEFENDAIR 200 can be applied between -6°C (20°F) and 38°C (100°F) to a clean, dry surface.

HOW TO USE

When properly applied and cured, DOWSIL DEFENDAIR 200 provides a fast, easy, and effective method of providing protection from air and water infiltration. This product may settle during prolonged storage, therefore, it is recommended to mix well before using. Do not dilute.

Surface Preparation

All surfaces to be coated with DOWSIL DEFENDAIR 200 must be prepared as described in the most recent *Air and Weather Barrier Application Guide* (Form No 62-1723). The following is a short reference guide for surface preparations.

All surfaces must be clean and free of dirt, frost, dust, oil, grease, mold, fungus, efflorescence, laitance, peeling coating, chalking coating, and any other foreign material. Green concrete must be allowed to cure 28 days before application of DOWSIL DEFENDAIR 200 (see "Limitations"). Repair cracks larger than 1/16 inch (1.6 mm) with a material that is compatible with the substrate and DOWSIL DEFENDAIR 200. DOWSIL™ 790 Silicone Building Sealant, DOWSILTM 795 Silicone Building Sealant, DOWSILTM 791 Silicone Perimeter Sealant, DOWSILTM 756 SMS Building Sealant, and DOWSILTM 758 Silicone Weather Barrier Sealant can be used for crack repairs.

All joints between exterior grade sheathing which are greater than 1/16 inch (1.6 mm) must be sealed using one of the above silicone sealants and struck flush prior to installing the coating. In addition, any unused nail holes or screws that missed the stud must be sealed.

¹NFPA 285, Standard Test Method for Evaluation of Fire Propagation Characteristics of Exterior Non-Loading Bearing Wall Assemblies Containing Combustible Components, 2012 Edition – Passed in assembly tested.

TYPICAL PROPERTIES

Values are based on 15 mil dry film thickness. Specification Writers: These values are not intended for use in preparing specifications.

ASTM E2178 Air Permeance cfm/ft² (1/cm²) < 0.0001 at 1.57 paf	Test ¹	Property	Unit	Result	
CNN/ULC- S741 Air Permeance L/(s-m²) -0.0019 at 75 Pa after UV Exposure and conditioning (Pass) ASTM E2357 Assembly Air Leakage cfm/ft² < 0.000007 at 1.57 psf	ASTM E2178	Air Permeance	cfm/ft ²	< 0.0003 at 1.57 psf	
Exposure and conditioning (Pass) ASTM E2357 Assembly Air Leakage cfm/tt² < 0.000007 at 1.57 psf			$L/(s-m^2)$	< 0.0016 at 75 Pa	
CAN/ULC- S742 L/(s-m²) < 0.00003 at 75 Pa Class 1A ASTM E283 Assembly Air Infiltration cfm/ft² < 0.01 at 1.57 psf	CAN/ULC- S741	Air Permeance	L/(s-m ²)	Exposure and conditioning	
ASTM E283 Assembly Air Infiltration cfm/ft² < 0.01 at 1.57 psf ASTM E331 Assembly Water Infiltration Tested to 15 PSF Pass - No leakage ASTM E330 Assembly Structural Loading Tested to 30 PSF and 45 PSF Pass - No damage to air barries ASTM E96 Water Vapor Permeance Desiccant (Method A) US Perms (ng/(m²-Pa-s)) 10.1 (578) ASTM D1970, Section 8.9 Nail Sealability (Head of Water Test) Pass ASTM 1970, Section 8.6 Low Temperature Flexibility Pass ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 NFPA Class A, UBC Class 1 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content % by volume 50 ASTM D441 Pull Adhesion % by volume 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) < 19	ASTM E2357	Assembly Air Leakage	cfm/ft ²	< 0.000007 at 1.57 psf	
ASTM E331 Assembly Water Infiltration Tested to 15 PSF Pass - No leakage ASTM E330 Assembly Structural Loading Tested to 30 PSF and 45 PSF Pass - No damage to air barries ASTM E96 Water Vapor Permeance	CAN/ULC- S742		$L/(s-m^2)$	< 0.00003 at 75 Pa Class 1A	
ASTM E330 Assembly Structural Loading Tested to 30 PSF and 45 PSF Pass - No damage to air barries ASTM E96 Water Vapor Permeance Desiccant (Method A) US Perms (ng/(m²-Pa-s)) 10.1 (578) ASTM D1970, Section 8.9 Nail Sealability (Head of Water Test) Pass ASTM 1970, Section 8.6 Low Temperature Flexibility Pass ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 NFPA Class A, UBC Class 1 ASTM D 2369 Solids Content % by volume 50 ASTM D 2369 Solids Content % by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) < 19	ASTM E283	Assembly Air Infiltration	cfm/ft ²	< 0.01 at 1.57 psf	
ASTM E96 Water Vapor Permeance Desiccant (Method A) US Perms (ng/(m²-Pa-s)) 10.1 (578) Water (Method B) US Perms (ng/(m²-Pa-s)) 26.6 (1521) ASTM D1970, Section 8.9 Nail Sealability (Head of Water Test) Pass ASTM 1970, Section 8.6 Low Temperature Flexibility Pass ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content % by volume 50 % by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) < 19 ASTM D4541 Pull Adhesion Pass > 120 ASTM D4541 Pull Adhesion Pass > 120 ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D 2243 Freeze-Thaw Resistance No change VU Exposure? 8 hour UV at 60°C - 4 hour water at 50°C, UVA 340 bulbs No change	ASTM E331	Assembly Water Infiltration	Tested to 15 PSF	Pass - No leakage	
Desiccant (Method A)	ASTM E330	Assembly Structural Loading	Tested to 30 PSF and 45 PSF	Pass - No damage to air barrier	
Mater (Method B) US Perms (ng/(m²-Pa-s)) 26.6 (1521) ASTM D1970, Section 8.9 Nail Sealability (Head of Water Test) Pass ASTM 1970, Section 8.6 Low Temperature Flexibility Pass ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 NFPA Class A, UBC Class 1 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content % by volume % by weight 50 EPA Method 24 Volatile Organic Content (VOC) (g/L) < 19	ASTM E96 Water Vapor Permeance				
ASTM D1970, Section 8.9 Nail Sealability (Head of Water Test) ASTM 1970, Section 8.6 Low Temperature Flexibility ASTM E 84 Flame Spread ASTM E 84 Flame Spread ASTM E 84 Smoke Develop 115 NFPA Class A, UBC Class 1 ASTM C1305 Crack Bridging ASTM D 2369 Solids Content % by volume % by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) ASTM D4541 Pull Adhesion Concrete psi Concrete psi ASTM D 412 Tensile Strength psi ASTM D 412 Elongation Solids Content % by weight psi ASTM D 412 ASTM D 243 Freeze-Thaw Resistance 5000 hour exposure: 8 hour UV at 60°C - 4 hour water at 50°C, UVA 340 bulbs		Desiccant (Method A)	US Perms (ng/(m ² -Pa-s))	10.1 (578)	
ASTM 1970, Section 8.6 Low Temperature Flexibility Pass ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content % by volume % by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesior Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 243 Freeze-Thaw Resistance UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs		Water (Method B)	US Perms (ng/(m ² -Pa-s))	26.6 (1521)	
ASTM E 84 Flame Spread 5 ASTM E 84 Smoke Develop 115 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content % by volume 50 % by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesion Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 2243 Freeze-Thaw Resistance UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D1970, Section 8.9	Nail Sealability (Head of Water Test)		Pass	
ASTM E 84 Smoke Develop 115 NFPA Class A, UBC Class 1 ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content WOC (g/L) <19 EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesion Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 2243 Freeze-Thaw Resistance No change UV Exposure/Resistance S000 hour exposure: 8 hour UV at 60°C - 4 hour water at 50°C, UVA 340 bulbs	ASTM 1970, Section 8.6	Low Temperature Flexibility		Pass	
ASTM C1305 Crack Bridging Pass ASTM D 2369 Solids Content WOC) (g/L) <19 EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesion Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 2243 Freeze-Thaw Resistance No change UV Exposure/Resistance S000 hour exposure: 8 hour UV at 660°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM E 84	Flame Spread		5	
ASTM C1305 Crack Bridging Fass ASTM D 2369 Solids Content Woch by weight 59 EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesion Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 412 Elongation % 650 ASTM D 2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM E 84	Smoke Develop		115	
ASTM D 2369 Solids Content % by weight 50 EPA Method 24 Volatile Organic Content (VOC) (g/L) ASTM D4541 Pull Adhesion Concrete psi 50 Fiberglass mat gypsum sheathing psi 3120 ASTM D 412 Tensile Strength psi (MPa) 3200 (1.38) ASTM D 412 Elongation Mo change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs				NFPA Class A, UBC Class 1	
EPA Method 24 Volatile Organic Content (VOC) (g/L) < 19 ASTM D4541 Pull Adhesion Concrete psi > 120 Fiberglass mat gypsum sheathing psi > 40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D 2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C - 4 hour water at 50°C, UVA 340 bulbs	ASTM C1305	Crack Bridging		Pass	
EPA Method 24 Volatile Organic Content (VOC) (g/L) <19 ASTM D4541 Pull Adhesion Concrete psi >120 Fiberglass mat gypsum sheathing psi >40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) >200 (1.38) ASTM D 412 Elongation % 650 ASTM D 2243 Freeze-Thaw Resistance No change UV Exposure/Resistance S000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D 2369	Solids Content			
ASTM D4541 Pull Adhesion Concrete psi > 120 Fiberglass mat gypsum sheathing psi > 40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs			% by weight	59	
Concrete psi > 120 Fiberglass mat gypsum sheathing psi > 40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D2243 Freeze-Thaw Resistance UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	EPA Method 24	Volatile Organic Content (VOC)	(g/L)	< 19	
Fiberglass mat gypsum sheathing psi > 40 (substrate failure) ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D4541 Pull Adhesion	n			
ASTM D 412 Tensile Strength psi (MPa) > 200 (1.38) ASTM D 412 Elongation % 650 ASTM D2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs		Concrete	psi	> 120	
ASTM D 412 Elongation % 650 ASTM D2243 Freeze-Thaw Resistance No change UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs		Fiberglass mat gypsum sheathing	psi	> 40 (substrate failure)	
ASTM D2243 Freeze-Thaw Resistance UV Exposure/Resistance 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D 412	Tensile Strength	psi (MPa)	> 200 (1.38)	
UV Exposure/Resistance No change 5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D 412	Elongation	%	650	
5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA 340 bulbs	ASTM D2243	Freeze-Thaw Resistance		No change	
Color White		5000 hour exposure: 8 hour UV at 60°C – 4 hour water at 50°C, UVA		No change	
		Color		White	

¹ASTM: American Society of Testing and Materials CAN/ULC: Canadian/Unlimited Liability Corporation EPA: Environmental Protection Agency

Coating

Apply the coating in a 30–32 mils (0.76–0.81 mm) wet thickness (a job-specific mockup is recommended to determine actual usage which will result in the required 15 mil (0.38 mm) dry coating thickness. On occasion, a second coat may be necessary on porous or rough surfaces to achieve the minimum dry film thickness.

Apply using a ¾ to 1½ inch (19 to 38 mm) nap, polyester, or 50/50 polyester/wool blend roller cover, nylon bristle brush, or airless sprayer. When applying the coating with a roller, apply it in a fan pattern to achieve uniform thickness. When applying the coating with a sprayer, a minimum 0.019 inch tip must be used. Sufficient pump pressure should be used to obtain an even spray pattern. Back rolling is not required.

Allow the coating to dry (typically 2 to 4 hours) before applying additional coats if needed. After the additional coat has been applied, the average drying time is 4 to 12 hours, depending upon temperature, humidity, and wind conditions. If the temperature drops below -6°C (20°F) after the air barrier is applied, the average drying time will increase. DOWSIL DEFENDAIR 200 requires temperatures higher than -6°C (20°F) for a cumulative total of 24 hours to dry. DOWSIL DEFENDAIR 200 will attain full adhesion and physical properties in 7 to 14 days.

DOWSIL DEFENDAIR 200 was developed to obtain good adhesion to the substrate without the need of a primer. Refer to the *Air and Weather Barrier Application Guide* to determine if adhesion testing or a primer is required for your specific substrate.

Low Temperature Application

If temperatures drop below 20°F, the coating will freeze on the surface until the temperature increases. This will not affect the cured properties of the

air barrier but will extend the drying time

Roller application of the air barrier at low temperature will require 2 coats. The air barrier should dry to touch, not simply freeze, between coats. Application equipment such as rollers and the tips of spraying equipment should be kept above 0°C (32°F) when not in use.

Allow the air barrier to fully dry prior to adhering other materials to the surface of the air barrier. For more information on cold temperature application, refer to the *Air and Weather Barrier Application Guide*.

HANDLING PRECAUTIONS

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND **HEALTH HAZARD** INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.CONSUMER.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

USABLE LIFE AND STORAGE

Protect DOWSIL DEFENDAIR 200 and DOWSIL DEFENDAIR 200 Primer from freezing. Store in a cool, dry place out of the weather. When properly stored in its original, unopened container above below 32°C (90°F), DOWSIL DEFENDAIR 200 and DOWSIL DEFENDAIR 200 Primer have shelf lives from date of manufacture of 6 months and 18 months, respectively. Refer to product packaging for Use by Date.

If DOWSIL DEFENDAIR 200 is stored at temperatures below -6°C (20°F) for longer than 8 hours, the air barrier will start to freeze. Allow the DOWSIL DEFENDAIR 200 to sit at temperatures greater than 20°F for at least 8 hours or until the material thaws before application.

PACKAGING INFORMATION

DOWSIL DEFENDAIR is available in 4.5 gal (16.9 L) pails (44 lb [20 kg]) and 51.5 gal (195 L) drums (507 lb [230 kg]).

LIMITATIONS

DOWSIL DEFENDAIR 200 should not be applied:

- When there is a threat of rain within the next 8 hours or the relative humidity is in excess of 90 percent (because conditions would not permit complete surface drying)
- On below-grade applications
- On newly applied or green cementitious materials; Industry guidelines recommend at least 28 days cure before painting or coating the substrates (see SSPC, 2010 Painting Manual, Chapter 3.1. Concrete Surface Preparation)

This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

HEALTH AND ENVIRONMENTAL INFORMATION

To support customers in their product safety needs, Dow has an extensive Product Stewardship organization and a team of product safety and regulatory compliance specialists available in each area.

For further information, please see our website, www.consumer.dow.com or consult your local Dow representative.

LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Dow offers a project-specific 10-Year Limited Air Barrier Warranty when DOWSIL DEFENDAIR 200 is applied in accordance with Dow's published application guidelines. Contact your local representative for details or to apply for a project-specific warranty.

Under this Limited Warranty, for a period of ten years from the date of purchase, Dow will be responsible for the cost of replacement coating for any areas in which DOWSIL DEFENDAIR 200 fails to perform to specifications.

Dow's warranty is subject to certain restrictions and does not cover faults attributable to workmanship or the appearance of the coating.

NOTE: DOWSIL DEFENDAIR 200 is NOT warranted for use on single-family residential dwellings.

www.consumer.dow.com

